DURÁVEL®
Products for Professionals

Colour Tint™

Pigment Additive for Colour Seal Waterproofing Sealer

ACRYLIC SEALERS

Technical Data

Durável Colour Tint pigments are made for use only with Colour Seal solvent tint base acrylic concrete waterproofing sealers. Unlike other field-added pigment systems that use clear sealers, the Durável system provides excellent color coverage and hide. Colour Tint pigments are UV stable and alkali resistant, helping provide superior fade resistance over time.

Typical Uses:

- **Patios and Entranceways**
- **Decks and Balconies**
- **Driveways and Walkways**
- **Pool Deck Overlays**

Product Advantages :

- **Excellent Opacity and Hide**
- **Consistent Color Results**
- **UV-Stable and Alkali Resistant**

Pre-Measured Pigment

Pigment Five Gallons of Colour Seal

Select from 25 designer colors

Safety Colors

Solid Black or White

Coverage:

Add the contents of one unit Color Tint to one 5-gallon pail Colour Seal tint base.

Directions for Use:

Mixing Instructions:

Select the correct Colour Seal tint base before mixing. See the Colour Tint label for details.

In general, use:

- One 20-ounce unit of Colour Tint for one 5-gallon pail of Colour Seal White Tint Base.
- One 64-ounce unit of Colour Tint for one 5-gallon pail of Colour Seal Deep Tint Base.

Remove the lid from the Colour Seal pail and mechanically mix the sealer until it is fully blended. Colour Seal pails are short-filled to leave room for the added pigment.

Shake the Colour Tint container well before opening. Pour the entire contents into the correct pail of Colour Seal tint base. Add 8 ounces of Xylene to the empty Colour Tint container, replace the lid, and shake well. Then pour that remaining material into the Colour Seal pail. Mechanically mix the pigmented Colour Seal until it is completely blended.

For best results, box multiple pails of pigmented Colour Seal together before applying the top coat. This helps keep the color consistent across the project.

Do not mix partial batches.

FOR PROFESSIONAL USE ONLY

Storage:

Store in a well-ventilated place. Keep container tightly closed. Protect product from freezing.

Disposal:

Recycle and/or dispose of contents and containers in accordance with local, regional, national, and international regulations.

Shelf Life:

Up to one year from original manufacture date when stored in its original, unopened container at room temperature. May be extended with reasonable care.

Limitations:

This product is not intended for public use and is intended for use by qualified contractors and installers with proper experience and training in the use of these products, and that have read the complete safety data sheet. Apply product only when substrate and ambient temperatures are within the accepted range.

Warranty:

IMPORTANT!

Before using any Durável product, read and understand its accompanying Safety Data Sheet & Application Instructions for important safety information.

STANDARD TERMS AND CONDITIONS OF SALE, INCLUDING STANDARD WARRANTY APPLY – VISIT Durável.com FOR THE LATEST VERSION.

Disclaimer:

Shade variances between individual pails of pigmented sealer are normal and are not considered defective. For best results always box together multiple pails of pigmented sealer, especially prior to beginning application of the top coat.

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Durável assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Durável assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety precautions are followed.

Safety Instructions:

For Professional Use Only

Keep Out of Reach of Children and Animals

Flammable Liquid and Vapor. May be Harmful if Swallowed. May be Fatal if Swallowed and Enters Airways. Harmful in Contact with Skin. Causes Skin Irritation. Causes Serious Eye Irritation. Harmful if Inhaled. May Cause Respiratory Irritation. May Cause Genetic Defects. Suspected of Causing Cancer. May Cause Damage to Organs Through Prolonged or Repeated Exposure. Toxic to Aquatic Life. May Cause Long Lasting Harmful Effects to Aquatic Life.

Obtain, read and follow all safety instructions before use. Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/ fume/ gas/ mist/ vapors/ spray. Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray. Wash hands and arms thoroughly after handling. Do not touch eyes. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective gloves/ protective clothing/ eye protection/ face protection.

Get emergency medical help immediately. IF SWALLOWED: Get medical help. IF ON SKIN: wash with plenty of water and soap. IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower]. Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. Get emergency medical help. If exposed or concerned, get medical advice. Get medical help if you feel unwell. Do NOT induce vomiting. If eye irritation persists: Get medical help. Take off immediately all contaminated clothing and wash it before reuse. In case of fire: Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish.

PROP65 WARNING: This product contains chemicals known to the state of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Always Review SDS & Technical Data Prior to Use